Programmer ____

RPG INPUT SPECIFICATIONS

		3141 C	O. E. O. I.	 110110				
					1 2		75 76 77 78	79 80
Date	Punching	Graphic			Page	Program Identification		
Program	Instruction	Punch			<u></u>	toentmeation	<u> </u>	

												٦			ator	Γ						Re	100	ď	lde	ent	ifi	ca	tic	n	Со	de	s						T	T	T	-	c:.	.1.4			tio	_											\neg		7		Fie	eld							٦
														7	all dic				1								2								3								r 16	eia	LC	ıca	tioi	n									6			, Lo					tor	5					
Line	Form Type			File						Sequence			Optian (O)	Doctor of the state of the stat				itic		Not (NI)	1	C/Z/D			osit			1		Character				tior				Character		1	1		roi				To			Decimal Positions				am			Control Level (L1-L9)	1	Chaining Fields	Field Record Relation					s or Bi	ank		Ster Sigr Pos	n sitic	on	
3 4 5	1	7	8	9 1	0 1	1 1	2 1:	3 14	4 1	5 1	6 1	17	18	19	20	21	22	23	24	1 2	5 2	26 2	27 :	28	29	30	31	32	33	3 3	4 3	5 3	36	37	38	39	40	14	42	4:	3 4	4 4	5 4	16 4	17	18 4	49 E	50 5	1 5	2 5	3 5	4 5	5 5	6 5	7 58	59	60	61	.62	63 6	64	65 6	66	7 6	69	70	71	72	2 7:	3 7	4
0 1	Ι	\dashv	_	_	\downarrow	1	1	-	4	\downarrow	4	4	_	_	Ĺ	L	L	-	-	1	4	4	4	4	4	_		L	L	\downarrow	1	4			_	L	L	ļ	╀	1	1	4.	_ -	4	4	4	_ -	_	1	\perp	_	1	1	_				<u> </u>		4		_	1		1	L		_		1	1
	I			_	4	1	1	\perp	1	1	4	4	4					L	-	1	1	1	4	1		_	_	ļ.,	L	1	1	1				L	L	1	L	L	1	_	1	_	_	_		\perp	_	_	\perp		1	_	L	L		L	Ш			1			_	L	L		L	\perp	
	I				_	1	_	_	1	1	1	\perp	\perp					L		┸	1		_	_				L	L	1	1	1	_			L	L	1		1	\perp				\perp	1			_					L				L			\rfloor										
1 1	I								-																																																				١										
0 5	I																														Ī	T					Γ	Τ	Γ	Γ	Τ	T														Γ				Ī					Τ		T		Ī	T	1
0 6	I				T				Τ	T								Γ	T	Τ																Г		Τ	Ī	T	T								T	T	T					T			П		٦		1							1	
0 7	I								T		T									T	1	1	1	Ī					Γ	Ī	Ì						1	Ť	Ī		T		Ī	Ì	T	Ī										T			П	1	1		7		T	T			T	\dagger	1
0 8	I		7	\top					Ť	1	1	1	1			T		T		T	\dagger	1	1					T	T	T	t	\dagger		-			T	T	t	T	T	+	+	+	1		\top		1	\dagger		T	\dagger		Τ.	╁	-		П		Ť	\dagger	\dagger	\top	T	t	1-		╁	\dagger	
0 9	I		7	7		T	1	T	†	_	1	7	1			T		T	T	T	1	1	†	\dagger	Ì			l		T	\dagger	1	7		_		İ	t	T	T	T	+	†	1	7	1	\dagger		1	\dagger	†	+	_			T	T	\vdash	П		7	1	\dagger	+	\dagger	\vdash	\vdash	┼	+	+	1
	I				1	\top	\top	1	╁	_	1	1	1					<u> </u>	İ	T	\dagger	Ť	\dagger	\dagger	7		-	r	T	T	T	1		_			r	†	┢	╁	+	-		\dagger	1	1	_		\dagger	†	1	+		\dagger		╁				+	1	+	+		\dagger	\vdash	\vdash		\dagger	\dagger	1
1 1	I		1	\top	T	Ť		T	Ť	1	\dagger	7	7			İ		T		T	T	Ť	1	Ť	7	7		T	T	t	t	Ť					r	T	T	t	T	+	\dagger	\dagger	+	_	_		t	\dagger		+	\dagger	\dagger	+-	\dagger	T		П	\dashv	1	+		+	t	\vdash		-	+	\dagger	-
	1		1	\top	T		T	\top	T		1	1				-		+	T	†	†	1	†	1	1	7		T	t	t	\dagger	1	1		_	\vdash	r	t	T	T	T	T	1	1	\dagger	7	\dagger	1	+	1	1	-	+	\dagger		t	 		П	+	1	\top	1	+	-	t	\vdash	-	t	\dagger	1
1 3	I		7		1	-		1	T		\dagger	1	1		-	T		T		Ť	T	\top	1		1	7		T	T	T	T	+	1	_			T	T	T	T	T	1	+	+	┪		1		\dagger	T		-	\dagger	\dagger		T	<u> </u>	\vdash	П	1	1		†	+	t	-	H	-	\dagger	$^{+}$	
1 4	ľ		1	\top	\top	十	1	+	╁	+	+	1	7	_	-	T	T	T	1	†	\dagger	Ť	†		1	1	_	l	T	1	1	1				-		t	T	\dagger	t	\dagger	\dagger	+	+	7	+		\dagger	\dagger	+-	+	+-	\dagger		t	\vdash		\Box	\dashv	+	+	+		+	-	-		+	\dagger	1
1 5	I		7		\dagger	+	1	\dagger	†	T	\dagger	1				T		╁	T	T	\dagger	1	1		1	7	_		T	t	\dagger	1	7			_		┢	T	t	t	+	\dagger	\dagger	†	\dagger	\dagger	+	†	\dagger			t	-	+-	t			П	\dashv	1	+	\dagger	+	+	-	┢	 -	╁	Ť	1
ME	r	-	-	-	-		-				= -									-	-				-		e de la	-				-	200	TENT.	APPENDE		-	╁	┪	1	-	-	-5	+	+	十			-	+				\dagger		-	-					-	-	THE REAL PROPERTY.					-	╁	1
	1	7	\dashv	+	+	\dagger	+	\dagger	T	\dagger	\dagger	\dagger	1			T	\mid	1	t	T	\dagger	\dagger	\dagger	+	+	1			t	T	\dagger	\dagger	\dashv		-	\vdash	T	†.	T	\dagger	\dagger	\dagger	\dagger	+	\dagger	\dagger	\dagger	+	\dagger	\dagger	+	+		\dagger	+	\dagger		Н	\vdash	+	\dashv	-	\dagger	+	+		\vdash	\vdash	╁	+	1
- -	I		\dashv	\dagger	\dagger		+	\dagger	\dagger	+	+	\dagger	1			\vdash		T	\vdash	\dagger	1	\dagger	\dagger	+	1	+		T	t	t	\dagger	+	1		_	-	H	\dagger	\dagger	\dagger	\dagger	\dagger	+	+	+	\dagger	+	+	+	\dagger	\dagger	\dagger	+	╁	+	+	-	\vdash		+	1	+	+	+	+	+-	+-		+	+	$\frac{1}{2}$
+	I		+	+		+	\dagger	\dagger	\dagger	\dagger	+	+	1		-	-	-	+	+	\dagger	╁	+	+		+	+		\vdash	t	╁	\dagger	+	1			-	-	\dagger	+	+	+	+	+	+	+	+	\dagger	+	+	╁	+	+	+	+-	+	+	-	-	\vdash	+	+	\dashv	+	+	+	\vdash	+		+	+	$\frac{1}{1}$
	ı		\dashv	\top	1	\dagger		\dagger	\dagger	+	\dagger	\dagger	7		_	T	-	t	†	\dagger	\dagger	+	+	+	+	+		T	f	t	\dagger	+	7			\vdash	\vdash	\dagger	t	t	\dagger	\dagger	\dagger	+	+	+	\dagger	+	\dagger	\dagger	+-	\dagger	╁	+	+	\dagger		H	$\vdash \vdash$	+	+	\dashv	+	+	+	H	╁		╁	+	1

RPG CALCULATION SPECIFICATIONS

						1 2		75 7	6 77	78 7	79 80
Date	Punching	Graphic				Page	Program				T
Program	Instruction	Punch				<u> </u>	Identification	Щ.			

Progran	nme	r			···													_																																																				
Line	T	Control Level	(L0-L9, LR, SR)	Not		And		ato	Anc						1	Fac	cto	or '	1				(Эр	era	ntio	on					F	act	tor	2					R	esu	ılt	Fi	eld		Fi Le	eld	th	Decimal Positions	Half Adjust (H)	Plus Higl		icat hme inus mpa ow < 2	ng ors tic Zore Eq 1:	ero qual = 2							Cor	mm	nen	ts	-		•		
3 4				i	10 1	,	2 1	3 1			6 1.	,			- 24			n 1		a- ,	00	22	200	20	20						0.5														- 1			- 1		- 1	U:-	L I	~	E~																
3 4 0 1	3 6	;	Ť	٦	-	+	- '	3 1.	+	3 11	1	118	1	7 20	1	T	T	3 2	4 .	25 7	26	21	28	29	30	31	T	2 3	7	34	35	36	37	38	39	140	7	1 4	2 4	13	44 4	45	46	47	48	49	50	51	52	53	54 5	55 5	6 57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74
0 2	-	-	+	-	+	\dagger	\dagger	+	\dagger	+	\dagger	+	+	+	\dagger	\dagger	\dagger	+	+	\dashv	\dashv	-		H	+-	+	+	+	+	-	\dashv	_		-	-	+	+	+	+	+	+	-	-	+	-	-	\dashv	+	\dashv	\dashv	+	+	+	+	\vdash	-	\vdash	\vdash	+	+-	╀	-		\vdash			\sqcup	-	\dashv	4
0 3	1	—	\Box		+	\dagger	+	+	\dagger	+	+	t	\dagger	t	\dagger	╁	t	+	+				-			╁	+	\dagger	\dagger	\dashv	\dashv			-	ŀ	╁	╁	+	+	+	1	+	\dashv	\dashv	\dashv			\dashv	\dashv	\dashv	-	+	+	\vdash	H	╁		+	+	+	\vdash	\vdash		H					-	
0 4	1	;	\Box		1		\dagger	+	t	+	\dagger	t	\dagger	\dagger	\dagger	\dagger	\dagger	\dagger	1	-		-			╁	\vdash	\dagger	\dagger	\dagger		1	_	-	_	 	+	+	+	\dagger		+	-	-	_	+	\dashv	-	\dashv	-	\dashv	+	+-	+	\vdash	-	H	-		┝	\perp	╁	<u> </u>						+	-	
0 5	d	+-		7	\top	1	+	\dagger	t		+	\vdash	T	\dagger	t	t	\dagger	+	1	1					\vdash		\dagger	\dagger	+	1	1			-	-	\dagger	+	\dagger	\dagger	†		+		+	-		\dashv	-	1	\dashv	+	-	+	╁	-	H	-	-	-	+	╁					\dashv	-		+	-
0 6	c		П			†	Ť		\dagger	\top	T	T	\dagger		r	T	+	†	1				-				\dagger	\dagger	1		1				H	-	\dagger	t	t	1	+	\dashv		\dashv	1	+	\dashv	\dashv	1	+	+	+	-	-	-	-		┝	+		╁		Н					\dashv	\dashv	_
0 7		1	\Box		\top	┪	T		\dagger		\dagger	T	\dagger		T	╁	\dagger	+	1	1	7	-					\dagger	\dagger	+	_	7	_	_	-	-		\dagger	+	t		\dagger	\dagger			+		1	+		-	-	+		-		\vdash			+	-		-	_			\dashv		\dashv	\dashv	_
0 8	c	:	П			1	t		T			T	†-			t	t	T	1	\dashv	1	7						\dagger	+	1					\vdash	+	╁	T	\dagger	+		1	_	+	\dagger		+	7	+	7	+	+		1		\vdash		-	\vdash	-	╁	-	_		+		+	\dashv	+	_
0 9	c					1			1	\top	T	T	T	\dagger	T	T	1		1	1	ı	7				-	+	\dagger	+	1	7						†	1	t	+	+	+	-	\dagger	1	_	+	1	\dashv	+	_	\dagger	+		-	┢	-	H	╁						+		+	+	+	-
1 0	c	:	П			T		T	T	T		ľ	T	T		T	T	T	1	7		٦					Ť	T	T	1	1				-	T	Ť	\dagger	\dagger			1	┪	1	1	\dashv	_	T	7	+	+	+	+-	\vdash		\vdash			╁╌	-	-				1	-	\dashv	+		
1 1	c		П																				_				T	T	†		T				-	T	Ť	Ť	T	Ť	†	1			1	_		-	7	1	+		\dagger			H		H		-					1	\dashv	\dashv	\dashv	+	٦
1 2	c		П				_		T		Τ			T				T		Ì								T	†	1						Τ	\top	T	T	T	1	T			Ī		1	1	7	1	Ť		1		-	T			İ	I					7	1	+	+	+	-
1 3	c				1	T			T			Г	T	T						1								T	T		7			-		l	1	T	t	ľ		T	7		1		Ì	1	1	1	\top	T	T		-	Τ		-		Ħ	\dagger		_			_	\dagger	+	+	-
1 4	С										Γ																Γ	Ī									T		T	1	T	1		1	7	\exists	T	1	1	1		1						T		T	\vdash				1	1		1	\dashv	
1 5	С																																							1	T	T		1	1				1	1	\top	1						-			1	Н		\exists		1	+	\dagger	+	\dashv
	С		\prod									Ĺ							I																												T	Ì										Г			T						+		1	-
	С	╀											_	L	L		L												\int	\rfloor		\int						\prod	\prod										1					П							Γ							1	\dashv	7
	С	_				\downarrow	\perp	\perp	L	1	\perp				L	L	1	1	1	\perp		_				L	L															\int																							\exists			7	\top	7
	С	 		\downarrow	\perp	\downarrow	_		L	_		_		\perp	L		\perp	1		_					<u>_</u>											L			L																															٦
	c																											L																																Г									1	٦

75 76 77 78 79 80

ibm

RPG EXTENSION AND LINE COUNTER SPECIFICATIONS

Instruction Punch	Date	_				_									•		_				Pun		- 1	_	aphi		T_	T	_			1									P	ge					Progr Ident	ram tifica	ition				\prod		
Record Sequence of the Chaining File Number of the Chaining File Number of the Chaining File Name Table Name From Filename Table From Filename Table Sequence of the Chaining File Name Table From Filename Table Sequence of the Chaining File Name Sequence of the Chaining File Sequence of th	Program															_				L	Instr			L			<u>.</u>	l_							<u> </u>	┙																			
Line Counter Specifications	Program	mer														_							Ex	cte	ns	ior	1 S	pe	ci	fic	ati	or	ıs			_																			_
Line Counter Specifications		T	T		rd Se	aue	nce c	of the	e Ch	ainin	ıg Fil	le																					a								١	ê													
Line Counter Specifications												ᅥ											of	f	ı			er	١	_engt	.h	1	8 (A)		Tab	le		1	Len	gth		S (A)						0		+-					
Line Counter Specifications	Line		٥			Γ						一		То	File	enai	me						E	ntrie		٤n	trie	5	0	f			uanba		Nar (Alt	ne ernat	ting		Tab	le	<u>a</u>	eduer						COF	nme	31162					
Line Counter Specifications		_ [⊦	- I				F	rom	ı Fi	lena	me														rd	Pei	rla	ble				cked	able S		Tabl	le)			Ent	ry	acked	able													
0 1 E 1 1 1 1 1 1 1 1												ł																										١			1	- 1					ca 6	C4 CI	E 66	67 (8 AC	3 70 '	71 72	2 73	74
0 1 E 1 1 1 1 1 1 1 1	3 4	5	6 7	8	9	10 1	1 12	13	14 1	15 16	3 17	18	19 2	0 2	1 22	23	24 2	5 26	27 2	8 29	30	31 3	2 3	3 34	35	36	37	38 39	3 40	0 41	42	43 4	4 45	46	47 4	48 49	9 50	51	52 5	3 54	55 5	6 57	1 58	59 6	1	62	63 6	7	7	Ϋ́	T	ŤΤ	T		П
0 3 E					П															\perp		_	\perp	\perp		Ш	4	_	1	1	\sqcup		+	-		-		$\vdash \downarrow$		+-	$\vdash \vdash$	╁	H	\dashv		╁╴	\vdash	十	+	\vdash	+	+	+	\top	H
0 3 E	0 2	7	E	1-	T	1	+			\top		П											-						L			_ _		_	\sqcup		_	$\sqcup 1$	_	\perp	\square	4	4-1	\dashv	+	+-	\vdash	+		$\vdash \vdash$	+	╁┼	+	+	\vdash
0 4 E	\vdash			+	+	╁	+	+-	\vdash	+	+-	$ \cdot $	7	+	\dagger	\Box	1	\top		T																		Ц			Ц	\perp				\perp	- -	_		\vdash	+	$\downarrow \downarrow$	+	+	\vdash
0 5 E			-	1	\vdash	+		+	\vdash	-+-	+	-	\vdash	\dashv	+-	+		+-	t^{\dagger}	+	+	+	\top	- -	Т				1												Н	١													Ш
O 6 E O 7 E O 8 E O 9 E O 9 E O 10 E	0 4		E					1_		_	4-	\perp		+	-	\perp	\dashv		╀╌┼	+	+	-	+	-	╁	\vdash		+	╁	+-	\vdash	\dashv	\top	十		\top	1	\Box		1	П		1				П		T						
0 7 E	0 5		E													Ш		_ _	1	\perp		_	4	_	-	\vdash	\vdash		╁	+	⊣	\dashv	+	+-	\vdash	-+	+	Н	\vdash	+	\vdash	+	+	\vdash	十	+	\Box	\dashv	1	\sqcap	\dagger	\top	\top	1	\Box
0 8 ε 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 6		E					Τ															\perp	4	\perp			4	-	+	\sqcup	H	+	- -	$\left \cdot \right $	+	-	\vdash	\dashv		$\left \cdot \right $	+	╢	H	-	╁	\vdash	十	+	+	+	++	十	+	H
0 8 ε 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 7		E																										┙					1		4	4	<u> </u>	\sqcup	_	\sqcup	+	\perp		+	-	$\left\{ \cdot \right\}$	+	+-	+++	+	+-	+	+	\vdash
ο θ ε	1	$oldsymbol{oldsymbol{\sqcup}}$		+	+	H	\dagger	1	\vdash		+					1																				\perp				_	$\downarrow \downarrow$	4	-		_	-	\dashv		+	++	+	4-4	+	+	+
Line Counter Specifications	\vdash	╁	\dashv	+	+-	$ \cdot $	\dashv	+-	-	\vdash	\vdash	\dagger			1	十		1			1																				Ц	4	\downarrow		\perp	-	-	\dashv	\perp	$\perp \downarrow$	+	+-	\dashv	+	-
Line Counter Specifications	1-	+		- -	+	+	+	+	\vdash		1	\dagger	П	$ \cdot $	1	\dagger	П	1		1	1		Ī	T														\perp			Ш					L		Ш			\perp	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	Щ		
	٠٠٠		٢			لــا			<u> </u>								<u> </u>		<u></u>			 I	in	10.		ur)te	, ,		eci	fic	at	ion	าร																					
																							_11	16 V				_	-T			-					_		_		т			_						11	_	_			

		Γ-				\neg				T			Т	3		Т		4			5		T	6		T	. 7			8			9		L	10)	\perp	11		1	2	_
Line	Form Type			enam			Line		Channel	ı	Line Number	Channel	1		Channel	İ	Line	- 1	Channel Number	ı		Channel		Line Number	1	- 1		Channel		- 1	Channel Number		Number 56 57	Channel		Line Number 9			Line 9 Number	1			
3 4 5	5 6	7	8 9	10 11	12 1	3 14	15 1	6 17	18 1	20	21 22	23 2	4 2	5 26 27	28	29 3	31	32 3	33 34	35	36 37	38 3	9 40	7 41 4	2 43	7	-3 -0 -7	170 "		1	T	П		П	T	П		Т		T	1 1 1		
1 1	L				\prod			}		_			\perp		Ц	_		Ш	-		4-		- -		+	\dashv	$\dashv +$	 - -	╂┼┼┤	}	+-	\vdash	+	+	╁	++-	1-1	T		++			П
	1.	T		_			П	1		T		1								1	1		1	11								$\perp \downarrow$		11	4-	1	-	\vdash	+	╁┼	 	$\vdash \vdash$	\vdash
1 2	- -	1_	$\sqcup \sqcup$	- -	\vdash		\vdash	+-	╁┼	╫	╁╌┼╴	╁┼	╁	+	1-	H	\top	\Box	十	П	1		7	\top	T				1	.			-	1				П					
1 3	L							_		$oldsymbol{ol}}}}}}}}}}}}}}}}}$			_	$\bot \bot$	L											L								1			لست						

75 76 77 78 79 80

1 2

IBM

RPG

OUTPUT - FORMAT SPECIFICATIONS

Dat	e																										nchi			[Gra	phic	:											L								Pa	ge						Pro Ide		ım ficat	tior	ļ						
Pro	gram															_			_							Ins	truc	ctic	on	F	un	ch					1																		_														
Pro	gramr	ner .				_													_																																			-															
Г		Τ	Т							Τ	T	Т		T		_	_	T			_		_					Γ						T										_												_	_				_	_		7					
-												S	pac	æ	\$	Skij	р		,	Ou	tpı	ut l	Inc	IIC	atc	ors								1	1									> ⊢	_			7 or	о Ва	lane		Edi						$\overline{}$	_	_	Rem			4					
Ì										l		r	T	†		Т		1	_	_	T	_													r	Т		_		T	٦				Cor	nma	s	261	to P	rint	,03	No	Sig	n	CR	-		╛			Plus	s Sig					Sig		
	Line				Fil	ena	me	;		1/1		5				١					l An	d		٩r	nd				Fi	eld	IN	am	ne	E	3	<u>@</u>		nd osit	on		<u> </u>					Yes Yes			Y:				1 2		A B		J K				Date Field	ld E	dit			1	Pos	sitio	n
		V De	<u> </u>							(4)		Sele	. ا		ore		<u></u>	ŀ	T	Т	7		T	\exists				1							oges	After	iı	n Outp			d Fie					No No			Y.				3 4		B C D	,	L M			=	Zero Sup	o pre	!SS						i
		Form Type									Vpe	tacke	Serore		Before	1	After		ž N	ı		Not		١	Not									1	Edit Codes	Blank After (B)	F	Reco	ord		Packed Field (P)			_						<u></u>	nsta	nt	or	Fd	it \	No.	rd												
			ا ً	_	_					اً	ء اء	0	.].		10.7	,]	21	22	,,,	,	25	26	27	28	29	30	31	32	33	3.34	43	5 3	6 3				10	41 4	12 4		- 1	45	46	47 4	48 4	49 S	0 5	1 53	2 53	54	55	56 9	57 5	8 5	9 6	0 6	51 6	52 E	33 E	34	65 E	56 (67_(58 €	39 7	70 7	1 73	2 73	74
_	1	5 6 C		8	Ů	10			1	++	5 1	"	+	1		-		+	201.			-	-			-		T		T	T	T	T			1				T						T																\bot	_		╧	╧	\perp	\perp	_
	2	c		+-		\dashv	+	+	+	+	1	+	\dagger	+	7	1	7	1	1								T	T		T			7	T			Ī			1																					\perp					_		\perp	
\vdash	3	c	+-	+		-	\dagger	-	+	†	\dagger	\dagger	+	+	+	1		1	\dagger	7	7		-					T	T	1	Ť	T	Ī	1		1			1																	_					\perp	$ \bot $		\perp	4	1	\perp	1	L
<u> </u>	4		→	+			\dagger	+	\top	1	1	+	†	1	7			7	7	1								Ī		T	T							ļ															_				_					_		_	\perp	\downarrow	\downarrow	\downarrow	1_
\vdash	5	1	+	+			\dagger	\dagger	\dashv	1	1	+	1	7	\top	1	-	1			٦													1																																\perp	_	\perp	L
-	6	-	- -	+	'		+	+	+	†	\dagger	\dagger	\dagger	_	7	7		1	7							-	T	t	T	1	T	T	7	1																																		\perp	
⊢	7	-		+-	\vdash		+	+	-	+	+	1	+	1	+	1		7	7						Г		T	T	T	\dagger	7	\dagger	1	1	1	7												T													\Box								
⊢	8		5		\vdash		+	-	+	+	1	+	+	1	1	1		7	-								T	t	T	1	1	1		Ť	1	٦				7		_																								\perp	_	\perp	1
⊢	9	-1-	5	\dagger	-		-	+	+	+	1	7	1	1											-	Ţ		T	1	T	7																											· l			Ц		Ш	Ц		\perp		_	\perp
⊢	0		5	+	\vdash	H		+	+	†	7	┪	1	\dashv					1			_			-		1			1	T			7	٦																											┙				\perp	\perp	\perp	\downarrow
⊢	1		5	+-	\vdash			\dashv	\dashv	\forall	1	_	1	1	1									-		T	<u> </u>	T	Ť	1				٦																																	\perp	\perp	
\vdash	2	+		+-	\vdash			_	\dashv	1	1	+	7	1		-	-						-	Γ		1	Ť	1	†	-											П																										\perp	\perp	1
⊢	3	-		+	-			7	+	1	1	7	1	٦											T			1		1																																Ľ			Ц				1
- ⊢	4		0	+	+	-			1	7	1	1	7				r							-	T	T	\dagger	1	1		1		Ī				_																							_	\sqcup		<u> </u>	Ш			_	\perp	1
-	5	-	0	+	\dagger			-	\neg	1		T	1	-									Γ	Γ				T	T	1																																				Ц	_	\downarrow	_
+	+	+	0	+				_	+	۲	H							<u> </u>		_		Ī			Î			Ť																																			L		\square	Ц	_	\perp	1
+	+	+	0	+	-	\vdash	H			\dashv	$ \cdot $	$ \cdot $		_				-	\vdash		-		T	1		T		1	T																																	_	\perp	<u> </u>	\sqcup		4	4	\downarrow
H	+	-+	<u>-</u>	1	\dagger	+	H							_						T		Γ	Γ	T																																╝		L					\downarrow	_	$oxed{oxed}$		_	\downarrow	1
-	\dashv	+	0	+	+	+				٦	П	П			Γ	Γ		Γ																																	_		_				\sqcup	_			L	\perp	_	\perp	ot	\bigsqcup		\perp	\downarrow
f		+	0	+		T	\mid				П	П							Γ				T	Ī	1	T		1																													Ц				\perp	L	\perp	<u></u>				\perp	